

MATERIAL SAFETY DATA SHEET

Product Name: ANCO BX

Anchor Drilling Fluids USA, Inc.
2431 E 61st Street, Suite 710 Tulsa, OK 74136

Run Date: 12/22/94

Rev. Date: 5/1/06

I. GENERAL INFORMATION

Chemical Name: SODIUM POLYACRYLATE & NON-IONIC POLYACRYLAMIDE CAS#: N/A

Chemical Family:

Chemical Formula: PROPRIETARY

Synonyms: SPA, WL 100, CYPAN

NFPA Properties: Health: NDA Flammability: NDA Reactivity: NDA

Emergency Telephone: CHEMTREC (800)424-9300 Information Telephone: (918) 583-7701

II. HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Hazardous Components	TWAPPM	TWA MG/M ³	STEL PPM	STEL MG/M ³	CAS#	OTHER LIMITS	%
1. SODIUM POLYACRYLATE							
2. POLYACRYLAMIDE							
3.							

III. PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point °F:	N/A	Color:	WHITE
Specific Gravity:	NDA	Odor:	NONE
Vapor Pressure:	N/A	Appearance:	POWDER
Percent Volatility:	NDA	pH:	
Vapor Density:	N/A	Viscosity:	N/A
Evaporation Rate:	N/A	Activity:	N/A
Solubility in Water:	COMPLETE	LC50:	NDA
Melting Point °F:	N/A	LD50:	NDA

IV. FIRE & EXPLOSION HAZARD DATA

Extinguishing Agents: DRYCHEMICAL OR WATERSPRAY OR WATERFOG OR CO2 OR FOAM OR SAND & EARTH

Flash Point °F: N/A

Flammable Limits: N/A LEL: N/A UEL: N/A

Special Firefighting Procedures: FIREFIGHTERS SHOULD WEAR NORMAL PROTECTIVE EQUIPMENT INCLUDING A SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire & Explosion Hazards:

MATERIAL SAFETY DATA SHEET

Product Name: ANCO BX

Anchor Drilling Fluids USA, Inc.
2431 E 61st Street, Suite 710 Tulsa, OK 74136

Run Date: 12/22/94

Rev. Date: 5/1/06

V. HEALTH HAZARD DATA

Routes of Entry: Inhalation – YES Skin – YES Ingestion – YES
Effects of Overexposure: SLIGHTLY ACIDIC, MAY CAUSE SLIGHT IRRITATION WITH EXTENSIVE EXPOSURE TO SKIN

Toxicological Properties:

Chronic & Acute Effects of Overexposure:

Carcinogenicity: NTP – NO IARC Monographs – NO OSHA Regulated

Emergency First Aid Procedures:

- Eyes: FLUSH WITH PLENTY OF WATER. IF IRRITATION DEVELOPS, CALL A PHYSICIAN.
- Skin Contact: ORDINARY MEASURES OF PERSONAL HYGIENE SHOULD BE ADEQUATE
- Inhalation: SYMPTOMATIC TREATMENT.
- Ingestion: CONSULT A PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

VI. REACTIVITY DATA

Stability: STABLE Hazardous Polymerization: WILL NOT OCCUR

Hazardous Decomposition Products: SMOKE, FUMES, CARBON MONOXIDE, CARBON DIOXIDE

Conditions To Avoid:

Incompatibility and Materials to Avoid: NONE.

VII. PRECAUTIONS FOR SAFE HANDLING AND USE

<u>Steps To Be Taken In Case Material Is Released Or Spilled – Procedures For Clean-Up:</u>	SWEEP SPILL MATERIAL AND REPACKAGE.
<u>Waste Disposal Method:</u>	INCINERATE IN ACCORDANCE TO LOCAL, STATE AND FEDERAL REGULATIONS
<u>Precautions To Be Taken In Handling & Storage:</u>	PRODUCT IS SPLIPPERY WHEN WET. WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINER CLOSED AND DRY.

VIII. CONTROL MEASURES

Ventilation Type Required: LOCAL EXHAUST
Protective Gloves: RECOMMENDED
Eye Protection: SAFETY GOGGLES
Respiratory Protection: WEAR A NIOSH APPROVED MASK IF CONCENTRATION IS TO EXCEED TLV
Other Protective Equipment: NONE REQUIRED.

MATERIAL SAFETY DATA SHEET

Product Name: ANCO BX

Anchor Drilling Fluids USA, Inc.
2431 E 61st Street, Suite 710 Tulsa, OK 74136

Run Date: 12/22/94

Rev. Date: 5/1/06

Comments:

IX. REGULATORY & TRANSPORTATION INFORMATION

US DOT Proper Shipping Name: "OIL-WELL TREATING COMPOUND"
US DOT Hazard Class: DOT ID Number: NOT REGULATED
ID Number: Freight Classification:
Unregulated by DOT: Regulated by DOT:
Special Transportation Note:
Labels Required:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied, and we assume no responsibility for any damage or expense.
