

MATERIAL SAFETY DATA SHEET

Product Name: ANCO DEFOAM

Anchor Drilling Fluids USA, Inc.
2431 E 61ST Street, Suite 710 Tulsa, OK 74136

Run Date: 01/01/01

Rev. Date: 5/1/06

I. GENERAL INFORMATION

Chemical Name: SILICONE BASED DEFOAMER CAS#: 63148-62-9
Chemical Family: ORGANIC SILICONE COMPOUND
Chemical Formula: PROPRIETARY
Synonyms:
NFPA Properties: Health: N.A. Flammability: Non-Flammable Reactivity: Non-Reactive
Emergency Telephone: CHEMTREC (800) 424-9300 Information Telephone: (918) 583-7701

II. HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Hazardous Components	TWAPPM	TWA MG/M ³	STEL PPM	STEL MG/M ³	CAS#	OTHER LIMITS	%
1. SILICONE					63148-62-9		N/A
2.							
3.							

III. PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point °F:	212	Color:	OPAQUE WHITE
Specific Gravity:	1.0	Odor:	MILD
Vapor Pressure:	24 NMHG @ 77	Appearance:	LIQUID
Percent Volatility:	N/A	pH:	6.5 – 7.0
Vapor Density:	1	Viscosity:	N/A
Evaporation Rate:	1	Activity:	
Solubility in Water:	DISPERSABLE	LC50:	NDA
Melting Point °F:	N/A	LD50:	NDA

IV. FIRE & EXPLOSION HAZARD DATA

Extinguishing Agents: DRYCHEMICAL OR WATERSPRAY OR WATERFOG OR CO2 OR FOAM OR SAND & EARTH
Flash Point °F: 575
Flammable Limits: N/A LEL: N/A UEL: N/A
Special Firefighting Procedures: FIREFIGHTERS SHOULD WEAR NORMAL PROTECTIVE EQUIPMENT INCLUDING A SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire & Explosion Hazards:

MATERIAL SAFETY DATA SHEET

Product Name: ANCO DEFOAM

Anchor Drilling Fluids USA, Inc.
2431 E 61ST Street, Suite 710 Tulsa, OK 74136

Run Date: 01/01/01

Rev. Date: 5/1/06

V. HEALTH HAZARD DATA

Routes of Entry: Inhalation – YES Skin – YES Ingestion – YES
Effects of Overexposure: NONE
Toxicological Properties: NDA
Chronic & Acute Effects of Overexposure:
Carcinogenicity: NTP – NO IARC Monographs – NO OSHA Regulated

Emergency First Aid Procedures:

- Eyes: FLUSH WITH PLENTY OF WATER. IF IRRITATION DEVELOPS, CALL A PHYSICIAN.
- Skin Contact: ORDINARY MEASURES OF PERSONAL HYGIENE SHOULD BE ADEQUATE
- Inhalation: SYMPTOMATIC TREATMENT
- Ingestion: ESSENTIALLY NON-TOXIC

VI. REACTIVITY DATA

Stability: STABLE Hazardous Polymerization: WILL NOT OCCUR
Hazardous Decomposition Products: SMOKE, FUMES, CARBON MONOXIDE, CARBON DIOXIDE
Conditions To Avoid:
Incompatibility and Materials to Avoid: ACIDS AND BASES.

VII. PRECAUTIONS FOR SAFE HANDLING AND USE

<u>Steps To Be Taken In Case Material Is Released Or Spilled – Procedures For Clean-Up:</u>	ABSORB SPILL ON INERT MATERIAL AND COLLECT FOR DISPOSAL.
<u>Waste Disposal Method:</u>	INCINERATE INACCORDANCE TO LOCAL, STATE AND FEDERAL REGULATIONS
<u>Precautions To Be Taken In Handling & Storage:</u>	STORE BETWEEN 40° F AND 120° F.

VIII. CONTROL MEASURES

Ventilation Type Required: LOCAL EXHAUST
Protective Gloves: RECOMMENDED
Eye Protection: SAFETY GOGGLES
Respiratory Protection: WEAR A NIOSH APPROVED MASK IF CONCENTRATION IS TO EXCEED TLV
Other Protective Equipment:
Comments:

MATERIAL SAFETY DATA SHEET

Product Name: ANCO DEFOAM

Anchor Drilling Fluids USA, Inc.
2431 E 61ST Street, Suite 710 Tulsa, OK 74136

Run Date: 01/01/01

Rev. Date: 5/1/06

IX. REGULATORY & TRANSPORTATION INFORMATION

US DOT Proper Shipping Name: "OIL-WELL TREATING COMPOUND"
US DOT Hazard Class: DOT ID Number: NOT REGULATED
ID Number: Freight Classification
Unregulated by DOT: Regulated by DOT:
Special Transportation Note:
Labels Required:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied, and we assume no responsibility for any damage or expense.
